



SCAN TO SHOP
FULL SELECTION

PRECISION BRAND SOLUTIONS

PRECISION BRAND. SELF-CENTERING TRUPUNCH® PUNCH AND DIE SET



MFR #40110
A&M ITEM #8605
\$335⁰⁰

PRECISION BRAND. TOOL BLACK® LIQUID KIT



MFR #45126
A&M ITEM #4739991
\$154⁰⁰

PRECISION BRAND. 20 PC. POC-KIT® STEEL FEELER GAGE 1/2" x 5" BLADE SET



MFR #19740
A&M ITEM #5347474
\$50⁰⁰



800.864.2660

WWW.AM-IND.COM



A MORE EFFICIENT & PRODUCTIVE SHOP

Our team of metalworking experts can partner with you to evaluate your approach to any application & improve cycle times, set-up, and overall productivity. To request support or product selection assistance, simply scan the adjacent QR code.



PUNCH & DIE SETS, FEELER GAGE SET



TRADITIONAL PUNCH AND DIE SET

A&M TOP SELLER
INDUSTRIAL



- Includes sizes: 1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8", and 3/4" in durable plastic case.
- Cuts steel, brass, copper, aluminum, rubber, and plastic up to 0.025" thick.
- Cuts stainless steel and blue tempered shim up to 0.010" thick.
- Clear plastic top plate is marked with accurate center lines. Mark center lines, align with center lines, and hit with hammer.
- The base and punches are made of a hardened and ground A-2 tool steel.

MFR #	A&M ITEM #	PRICE EACH
40105	8328	\$200.00



SELF-CENTERING TRUPUNCH® PUNCH AND DIE SET

Create A Perfect Shim Every Time



- Includes sizes: 1/8", 3/16", 1/4", 5/16", 3/8", 1/2", 5/8", and 3/4" in durable plastic case.
- Self-centering punch and die set makes perfect, custom washers, shims, and gaskets in seconds.
- Cuts steel, brass, copper, aluminum, rubber, and plastic up to 0.025" thick.
- Cuts stainless steel and blue tempered shim up to 0.010" thick.
- Makes perfect, custom washers, shims, and gaskets in seconds by using its exclusive, patented punch, pilot, and pin system. No guess work is needed to center the I.D. and there is no need to scribe center lines.

MFR #	A&M ITEM #	PRICE EACH
40110	8605	\$335.00



SELF-CENTERING "METRIC 10" TRUPUNCH® PUNCH AND DIE SET



- Includes (10) punch sizes: 3, 4, 5, 6, 7, 8, 10, 12, 16, and 20mm, and (9) I.D. pilot sizes: 3, 4, 5, 6, 7, 8, 10, 12, and 16mm in a durable plastic case.
- Cuts steel, brass, copper, aluminum, rubber & plastic up to 0.635mm thick.
- Cuts stainless steel and blue tempered shim up to 0.25mm thick.
- Makes perfect, custom washers, shims, and gaskets in seconds by using its exclusive, patented punch, pilot, and pin system.

- No guess work is needed to center the I.D. and there is no need to scribe center lines.
- Material waste is reduced by creating a perfect shim every time.

MFR #	A&M ITEM #	PRICE EACH
40300	5345856	\$335.00



20 PIECE POC-KIT® STEEL FEELER GAGE BLADE SETS



Manufacturer #19740
SAE Set

Manufacturer #09740 Metric Set

- For most applications where checking extremely tight tolerances is required.
- Thickness is clearly marked in metric and decimal.
- Made from 1/2" wide, C1095 close grain, high carbon spring steel, ground and polished to precision tolerances.

1/2" x 5" Poc-Kit® SAE Set

- Includes thicknesses: 0.001", 0.0015", 0.002", 0.003", 0.004", 0.005", 0.006", 0.007", 0.008", 0.009", 0.010", 0.012", 0.014", 0.015", 0.016", 0.018", 0.020", 0.022", 0.024", 0.025" in vinyl case.
- Blade dimensions: 1/2" W x 5" L.

A&M TOP SELLER
INDUSTRIAL

12.7mm X 127mm Poc-Kit® Set

- Includes thicknesses: 0.05mm, 0.10mm, 0.15mm, 0.20mm, 0.25mm, 0.30mm, 0.35mm, 0.40mm, 0.45mm, 0.50mm, 0.55mm, 0.60mm, 0.65mm, 0.70mm, 0.75mm, 0.80mm, 0.85mm, 0.90mm, 0.95mm, 1.00mm
- Blade dimensions: 12.7mm W x 127mm L.

DESCRIPTION	MFR #	A&M ITEM #	PRICE EACH
SAE SET	19740	5347474	\$50.00
METRIC SET	09740	5850189	\$50.00



800.864.2660 | WWW.AM-IND.COM

PRECISION BRAND. 20 PIECE BRASS THICKNESS GAGE 1/2" X 5" BLADES SET



- Includes thicknesses: 0.001", 0.0015", 0.002", 0.003", 0.004", 0.005", 0.006", 0.007", 0.008", 0.009", 0.01", 0.012", 0.014", 0.015", 0.016", 0.018", 0.02", 0.022", 0.025" and 0.03" in vinyl case with individual blade pockets.
- Made from 1/2" wide, 260 brass alloy.
- Used in applications where a non-magnetic, non-corrosive product is needed to check close spacing and tight tolerances.
- Ideal for the computer, mining and electronics industries – when inserted, material should not cause a spark.
- Thickness is clearly marked every 6" in metric and decimal.
- Blade dimensions: 1/2" W x 5" L.

MFR #	A&M ITEM #	PRICE EACH
76740	2950737	\$69.00

PRECISION BRAND. 20 PIECE STAINLESS STEEL THICKNESS GAGE 1/2" X 5" BLADES SET



- Includes thicknesses: (2) 0.001", (2) 0.0015", (2) 0.002", (2) 0.003", 0.004", 0.005", 0.006", 0.007", 0.008", 0.009", 0.010", 0.012", 0.015", 0.020", 0.025", 0.031" in vinyl case with individual blade pockets.
- Made from 1/2" wide, 300 series stainless steel.
- Used in applications where stringent, corrosion resistant, and low magnetic material is needed to check extremely tight tolerances or close spacing.
- Ideal for the aircraft, power/utility, food, automotive, and marine industries – material is a good conductor and will withstand high temperatures.
- Thickness is clearly marked every 6" in metric and decimal.
- Blade dimensions: 1/2" W x 5" L.

MFR #	A&M ITEM #	PRICE EACH
77750	5347471	\$88.00

PRECISION BRAND. 20 PIECE STEEL THICKNESS FEELER GAGE 1/2" X 12" BLADES SET

- Includes thicknesses: 0.001", 0.0015", 0.002", 0.003", 0.004", 0.005", 0.006", 0.007", 0.008", 0.009", 0.010", 0.012", 0.014", 0.015", 0.016", 0.018", 0.020", 0.022", 0.025", 0.030" in vinyl case with individual blade pockets.
- Made from 1/2" wide, C1095 close grain, high carbon spring steel, ground to precision tolerances.
- Used in most general maintenance and tool and die applications wherever setting close spacing or checking extremely tight tolerances is required.
- Thickness is clearly marked every 6" in metric and decimal.
- Blade dimensions: 1/2" W x 12" L.



MFR #	A&M ITEM #	PRICE EACH
19990	3621	\$95.00

PRECISION BRAND. PLASTIC THICKNESS GAGE FAN BLADE SETS

THICKNESS	COLOR
0.001"	Amber
0.0015"	Purple
0.002"	Red
0.003"	Green
0.004"	Tan
0.005"	Blue
0.0075"	Matte
0.010"	Brown
0.0125"	Black
0.015"	Pink
0.020"	Yellow
0.025"	White
0.030"	Coral

- Made of the highest quality plastic material: 0.001" to 0.005" = polyester, 0.0075" to 0.030" = vinyl.
- Used in manufacturing and maintenance operations wherever setting close spacing or checking extremely tight tolerances is required.
- Non-corrosive, non-conductive, non-sparking, and non-marring.
- All blades are riveted together for convenience
- Color indicates thickness, allowing easy identification.

- 13 Piece 1/2" x 5" Set**
- Includes thicknesses: 0.001", 0.0015", 0.002", 0.003", 0.004", 0.005", 0.0075", 0.010", 0.0125", 0.015", 0.020", 0.025", and 0.030" in vinyl case.
- Blade dimensions: 1/2" W x 5" L.
- 13 Piece 1/2" x 12" Set**
- Includes thicknesses: 0.001", 0.0015", 0.002", 0.003", 0.004", 0.005", 0.0075", 0.010", 0.0125", 0.015", 0.020", 0.025", and 0.030" in vinyl case.
- Blade dimensions: 1/2" W x 12" L.



Manufacturer #78905

DESCRIPTION	MFR #	A&M ITEM #	PRICE EACH
13 PIECE 1/2"W X 5"L SET	78905	5347470	\$29.00
13 PIECE 1/2"W X 12"L SET	78900	5347469	\$42.00

Headquarters & NJ Sales Office
Rahway, NJ
800.864.2660

New England Regional Office
West Lebanon, NH
800.225.6711

Northern NJ Regional Office
Fair Lawn, NJ
800.622.1363

CT Regional Office
Middletown, CT
800.771.1233


PA Regional Office
Stroudsburg, PA
855.207.0400



SHIM & TOOL BLACK



6 PIECE BLUE TEMPERED SHIM STOCK ASSORTED 6" X 12" SHEETS



- Assortment of 6" wide by 12" long sheets contains 1 each of the following thicknesses: 0.005", 0.010", 0.015", 0.020", 0.025", and 0.032".
- Material: high carbon 1095 hardened and tempered spring steel.
- Material type, material thickness, and lot # are clearly marked right on the shim for full traceability.
- Widely used in the following applications: tool and die set up, alignment, new machine assembly, machine repair and maintenance, mounting of motors, pumps and other machines, short run and prototype work, and more.

MFR #	A&M ITEM #	PRICE EACH
23290	5850308	\$65.00



8 PIECE STAINLESS STEEL SHIM STOCK ASSORTED 6" X 12" SHEETS



- Assortment of 6" wide by 12" long sheets contains 1 each of the following thicknesses: 0.001", 0.002", 0.003", 0.005", 0.008", 0.010", 0.015", and 0.020".
- Material: full hard, cold rolled, 302 stainless steel.
- Material type, material thickness, and lot # are clearly marked right on the shim for full traceability.
- Widely used in applications where corrosion resistance is required.
- Especially useful for pilot production runs where material accuracy and economy are important.

MFR #	A&M ITEM #	PRICE EACH
22445	5850302	\$106.00



15 PIECE STEEL SHIM 6" X 12" FLAT SHEETS




- Assortment of 6" wide by 12" long sheets contains 1 each of the following thicknesses: 0.001", 0.0015", 0.002", 0.003", 0.004", 0.005", 0.006", 0.007", 0.008", 0.010", 0.012", 0.015", 0.020", 0.025", and 0.031".
- Material: full hard, cold rolled, low carbon 1008-1010 steel.
- Material type, material thickness, and lot # are clearly marked right on the shim for full traceability.
- Used in applications where hardness, flatness and accuracy are required.
- Material can be punched or sheared with minimum burring and distortion.

MFR #	A&M ITEM #	PRICE EACH
16685	5850203	\$58.00



15 PIECE BRASS SHIM 6" X 12" FLAT SHEETS



- Assortment of 6" wide by 12" long sheets contains 1 each of the following thicknesses: 0.001", 0.0015", 0.002", 0.003", 0.004", 0.005", 0.006", 0.007", 0.008", 0.010", 0.012", 0.015", 0.020", 0.025", 0.031".
- Material: half hard, cold rolled, 260 alloy brass.
- Material type, material thickness, and lot # are clearly marked right on the shim for full traceability.
- Use where corrosion problems exist; low magnetic permeability.
- Excellent forming qualities – may be lightly drawn, blanked or stamped.

MFR #	A&M ITEM #	PRICE EACH
17550	5850208	\$87.00



TOOL BLACK® LIQUID KIT



- Includes (1) pint each of: Tool Black® Liquid, Prevent®, and Metal Polish/Cleanser.
- Fast, inexpensive alternative to black oxide: imparts a tough, dull black protective finish to ferrous metal parts.
- Ideal for prototypes, repair parts, and general machine work.
- The liquid solution is used on small immersible parts.
- Should be used at room temperature as a cold application.
- One pint of Tool Black® Liquid covers 25 to 35 square feet (coverage varies with application technique).

NOTE: Tool Black® products cannot be shipped via air transportation.



MFR #	A&M ITEM #	PRICE EACH
45126	4739991	\$154.00

VALID THRU 12/31/23 in US only. Specifications and pricing are subject to change without notice. Not responsible for typographical errors. Offers cannot be combined with any other promotional or discount offers. Please see our website for a full listing of our Terms & Conditions.



800.864.2660 | WWW.AM-IND.COM